




फोन नं. ०८६-४२००५२

नेपाल सरकार

pmamp.piu.pyuthan@gmail.com

web:piupyuthan.pmamp.gov.np

कृषि तथा पशुपन्छी विकास मन्त्रालय
प्रधानमन्त्री कृषि आधुनिकीकरण परियोजना



आर्थिक प्रस्ताव पेश सम्बन्धी सूचना

(प्रथम पटक प्रकाशित मिति: २०८१/११/०६ गते)

प्रस्तुत विषयमा यस कार्यालयबाट कृषक समुह/सहकारी/जल उपभोक्ता समिति/फर्मको माग बमोजिम विभिन्न कृषि औजार उपकरण/सामग्रीहरू ५० प्रतिशत अनुदानमा यस आ.व. २०८१/८२ मा उपलब्ध गराउने कार्यक्रम रहेको हुँदा लागत अनुमान तयार गर्ने प्रयोजनका लागि यस कार्यालयको आधिकारिक वेबसाइटबाट प्राविधिक स्पेसिफिकेसन सहितको आर्थिक फारम निशुल्क प्राप्त गरि यो सूचना प्रकाशन भएको मितिले १५ औं दिन कार्यालय समय भित्र उक्त सामग्रीहरू आपूर्ति गर्ने आधिकारिक उत्पादक/विक्रेता र सप्लायर्सहरूले यस कार्यालयमा सूचिकृत तथा आर्थिक प्रस्ताव पेश गर्नुहुन यो सूचना प्रकाशित गरिएको छ ।

आवश्यक कागजात

- ल्याब सर्टिफिकेसन हुने सामग्रीको सर्टिफिकेट
- उत्पादक/विक्रेता र सप्लायर्सहरूको आधिकारिक दर्ता प्रमाणपत्र र कर चुक्ता प्रमाणपत्र


थप जानकारीको लागि कार्यालय सम्पर्क नं: ९८६७८२४९३१, ९८५७८६८०११, ९८६७७७५४३२

.....
Jayanti

जयन्ती मल्ल

कृषि अधिकृत

नि. कार्यालय प्रमुख



नेपाल सरकार

कृषि तथा पशुपन्थी विकास मन्त्रालय
 कृषि तथा पशुपन्थी विकास मन्त्रालय
 पशुपन्थी कृषि आधुनिकीकरण परियोजना
 परियोजना कार्यान्वयन एकाइ, प्युठान
 प्युठान

प्रस्ताव दरभाउ फारम


१. संस्थाको नाम:
२. संस्थाको ठेगाना:
- सम्पर्क व्यक्तिको मोबाइल नं:
- इमेल:
३. आधिकारिक व्यक्तिको नाम:
- पद:
- इमेल:
४. संस्था रजिस्ट्रेसन नं:
५. रजिस्ट्रेसन गर्ने कार्यालय:
६. फर्म दर्ता मिति:
७. PAN/VAT रजिस्ट्रेसन नं:
८. व्यापारको किसिम/उद्देश्य:

९. उपलब्ध गराउन सक्ने सामग्रीको दरभाउ र अन्य विवरण प्रस्ट खुल्नु पर्नेछ ।


१०. पेश गरेको स्पेशिफिकेशन र मूल्यमा सामग्री अनिवार्य उपलब्ध गराउने छु उपलब्ध गराउने छु नसकेमा सम्पूर्ण रुपमा कानुनको भागदार बन्ने छु भनि हस्ताक्षर

११. अपूर्णकालि Supplier's specification मा मेसिनरी औजारको विवरण अनिवार्य रुपमा भरेको हुनु पर्ने छ ।


Technical Specification of Farm Machinery and Equipments		Supplier's specification (Mandatory to fill up otherwise not consider their quoted rate)	Unit	Per Unit Rate (In Figures)	Per Unit Rate (inWords)	Remarks
S.N.	Name of Implements With Description	Technical Specification				
1	Minitiller Diesel Engine 3.5 upto 4.4 kw					
	Model/ Brand	Any				
	Tilling Depth/Breadth	above 90 mm/1000mm				
	Driving model	gear drive (2 Forward and 1				
	Gearbox	big gearbox				
	Engine	4 stroke, diesel engine				
	Displacement(ml)	>245 CC				
	Engine speed(rpm)	>=3600				
	Rated output power [kW(HP)/rpm]	3.5-4.4 kw				
	Starting system	Recoil Manual or electric				
	Weight (kg) Approx.	around 100 kg				
	Accessories	Provide side disc if possible				
	Blades Type	24 blades or more				
			set			



2 Minitiller Diesel Engine 4.4+ kw Model/ Brand Rated output power Tilling Depth/Breadth Driving model Gearbox Handle Engine Displacement(ml) Engine speed (rpm) Starting system Net Weight/Gross Weight (kg) Approx. Blades Type Accessories	Any 4.4 kw or above 130 mm/1000mm or above gear drive (2 Forward and 1 big gearbox Up-Down 4 stroke, diesel engine >296 CC >=3600 Recoil Manual or electric above 100 kg 32 blades or more Provide side disc if possible	set		
3 Minitiller Petrol Engine Model/ Brand Rated output power Tilling Depth/Breadth Driving model Gearbox Handle Engine Displacement(ml) Engine speed (rpm) Starting system Net Weight/Gross Weight (kg) Blades Type Accessories	Any 3 kw or above 100 mm/600mm or above gear drive (2 Forward and 1 big gearbox Up-Down 4 stroke, petrol engine >120 CC >=2600 Recoil Manual or electric above 80 kg 24 blades or more Provide side disc if possible	set		
4 Paddy Reaper for mini tiller Model/ Brand Type Capacity Engine Cutting Length Minimum stubble height Crop divider Operation	Any Walk Behind, attached to about 2 Acre/hr at least 296 CC, 7HP, Air Cooled about 100 CM >=25 cm 3 with star wheel Belt and pully of minitiller	set		




5	Paddy Reaper for tractor	Any				
	Model/ Brand	Any				
	Country of manufacture	Any				
	Power required	35 hp and above tractor				
	Features	Front/back mounting on tractors				
	Capacity	about 3 ha/hr				
	Cutting Length	minimum 6 ft				
	Minimum stubble height	>=25 cm				
	No. of stars	at least 7 stars with crop divider				
6	Paddy Reaper for Power tiller	Any		set		
	Model/ Brand	Any				
	Power required	Operated by power matched				
	Conveyor	Belt type				
	Type of cutting unit	cutter bar with serrated V-shaped				
	Cutting width	minimum 1.2 m				
	Cutting height	more than 4 cm				
	No. of stars	at least 4 stars				
7	Rotavator	Gear driven, PTO operated		set		
	Type	Gear driven, PTO operated				
	Overall width / tillage width	around 6 ft / 5 ft				
	Tillage depth	more than 12 cm				
	Gearbox	Single speed/ multi speed				
	Number of flanges	not less than 8				
	Number of blades per flange	6 to 9				
	Diameter of rotor shaft (mm)	minimum 7 mm				
	rotor shaft rpm	around 180/240 for single and				
	Blades Type	J, C, L any type				
	No. of blades	minimum 42				
	Approx. weight	approximately 400 kg				
	Tractor power	not less than 35 HP				
8	Brush cutter	Any		set		
	Make and Model	Any				
	Power source	Petrol				
	Power	≥ 0.9K/1.2 hp				
	Type	Backpack				
	Engine Type	4 Stroke				
	Engine Displacement	≥ 35 cc				
	Use /Application	Agriculture				
	No. of Blades	at least 3				
	Blade	250 mm or more				
	Cutting speed	6000 rpm or more				
	Fuel consumption	650ml/hour ±150ml				
	Weight	About 9kg				



ಕರ್ನಾಟಕ ಸರ್ಕಾರ
 ಕೃಷಿ ಮತ್ತು ಮತ್ಸ್ಯ ಇಲಾಖೆ
 ಕೃಷಿ ಯಂತ್ರೋಪಕರಣಗಳ ಸಂಸ್ಥೆ
 ಕರ್ನಾಟಕ
 ಬೆಂಗಳೂರು

14 Mini weeder				
Make and Model	Any			
Type	Backpack			
Power	about 2 hp			
Engine type	2 stroke petrol engine, air cooled			
Tiller type	2 no of fla tiller attachment			
Start type	Recoil start			
Tiller width	about 25 cm			
Tiller depth	about 10 cm			
15 Power weeder				
Make and Model	Any			
Power	1.6 kw or above			
Engine type	4 stroke petrol engine			
Start type	Recoil start			
Tiller width	30 cm or more			
Tilling depth	10 cm or more			
Working shaft	splitting type			
16 Paddy wheel				
Power source	mini tiller			
wheel size	about 15 inch			
shaft size	about 32 mm			
Cutting capacity	about 300 mm			
17 Combine Mill				
Make, Model and Brand	Any			
Product type	Butterfly type; Rice cum flour mill			
Features	suitable to separate husk and			
Rated power	3 hp or (2.2kw±0.2kw)			
Voltage	220 v, 50 Hz, single phase			
Motor speed	2800 rpm			
Rotation type	forward and reverse rotation			
Cuter material	stone			
Grinding wheel size	>=14 inch			
Bit size	>=3.5 inch			
Product output capacity	> 150 kg/hr milling, > 250 kg/hr crushing			
Warranty	1 year manufacturing defects			



22	Dryer/Dehydrator for chili						
23	Others useful machine for agriculture purpose						

Suppliers responsibilities

- A) Manufacturing company shall provide at least 1 year of warranty in case of manufacturing defect.
- B) Necessary spare parts shall be supplied easily in demand of beneficiary.
- C) General operation training of the machine shall be given to the purchaser.
- D) Test report, lab certificate regarding machineries power with respected country verified certification must be included by the suppliers.
- E) Official producers/sellers and suppliers must provide the machineries at the submitted price. Inability to do so will subject the party to the legal proceedings.

As per as

Prepared by:
Er. Shreedhar Neupane
NEC No.: 83757

Approved by:
Jayanti

नि. कार्यालय प्रमुख